



OLO 光氛符碼添加新元素「直徑符號 Φ 」，直觀地以符號外形表露其縱向仰俯、橫向擺首的翻轉特色，展現面面俱到的全方位光向。細緻出色的環狀與 U 型框，一如美麗天體的土星環，溫柔圈圍著漂浮迴旋的發光主體，且聽 OLO Φ 為人們輕柔吟唱屬於光的詠嘆調。

OLO Φ infused the diameter symbol Φ into basic elements of circle and line. The wall/ceiling lamp impressively covers every object in need with an omnidirectional light rotation, which can be tilted vertically as well as horizontally. With the finely welded frame of round and U-bend, it looks like Saturn ring embraces the floating and flipping lamps in its arms that served us sufficient warm light as a soft aria.

By Li, Hui Lun 李慧倫





sand gold + matt black





matt black



copper + matt black

Measurement : centimeter / inches



OLO Φ Pendant PL4




Model
SLD-130PL4


Material
steel, PP

Light Source
LED 4 x 6.5W 3000K CRI90 1650lm

Feature
Built-in dimmable driver

Weight
2.9kg / 6.4lb

- Color**
-  sand gold + matt black
 -  matt black
 -  copper + matt black





OLO 光氛符碼添加新元素「直徑符號 Φ 」，直觀地以符號外形表露其縱向仰俯、橫向擺首的翻轉特色，展現面面俱到的全方位光向。細緻出色的環狀與 U 型框，一如美麗天體的土星環，溫柔圈圍著漂浮迴旋的發光主體，且聽 OLO Φ 為人們輕柔吟唱屬於光的詠嘆調。

OLO Φ infused the diameter symbol Φ into basic elements of circle and line. The wall/ceiling lamp impressively covers every object in need with an omnidirectional light rotation, which can be tilted vertically as well as horizontally. With the finely welded frame of round and U-bend, it looks like Saturn ring embraces the floating and flipping lamps in its arms that served us sufficient warm light as a soft aria.

By Li, Hui Lun 李慧倫





shiny black + matt black



sand gold + matt black



pear cocoa + matt black



OLO Ø Pendant P1

Model
SLD-130P

Material
steel, PP

Light Source
LED x 6.5W 3000K CRI90 415lm

Feature
touch dimmer switch

Weight
0.8kg / 1.8lb

- Color**
- shiny black + matt black
 - sand gold + matt black
 - pear cocoa + matt black



OLO 光氛符碼添加新元素「直徑符號 Φ 」，直觀地以符號外形表露其縱向仰俯、橫向擺首的翻轉特色，展現面面俱到的全方位光向。細緻出色的環狀與 U 型框，一如美麗天體的土星環，溫柔圈圍著漂浮迴旋的發光主體，且聽 OLO Φ 為人們輕柔吟唱屬於光的詠嘆調。


OLO Φ infused the diameter symbol Φ into basic elements of circle and line. The wall/ceiling lamp impressively covers every object in need with an omnidirectional light rotation, which can be tilted vertically as well as horizontally. With the finely welded frame of round and U-bend, it looks like Saturn ring embraces the floating and flipping lamps in its arms that served us sufficient warm light as a soft aria.

By Li, Hui Lun 李慧倫





sand gold + matt black





matt black



copper + matt black

Measurement : centimeter / inches



OLO Φ Wall




Model
SLD-130WATE



Material
steel, PP

Light Source
LED 6.5W 3000K CRI 90 415lm

Feature
Touch dimmer switch

Weight
0.8kg / 1.8lb

- Color**
-  sand gold + matt black
 -  matt black
 -  copper + matt black



OLO Φ Ceiling




Model
SLD-130CW

Material
steel, PP

Light Source
LED 6.5W 3000K CRI 90 415lm

Feature
Touch dimmer switch(Triac dimming)

Weight
0.8kg / 1.8lb

- Color**
-  sand gold + matt black
 -  matt black
 -  copper + matt black



OLO 光氛符碼添加新元素「直徑符號 Φ 」，直觀地以符號外形表露其縱向仰俯、橫向擺首的翻轉特色，展現面面俱到的全方位光向。細緻出色的 U 型框，一如美麗天體的土星環，溫柔圈圍著漂浮迴旋的發光主體，且聽 OLO Φ 為人們輕柔吟唱屬於光的詠嘆調。

OLO Φ infused the diameter symbol Φ into the basic elements of circle and line. With the finely welded frame, it looks like Saturn ring embraces the floating and flipping lamps in its arms that served us sufficient warm light as a soft aria.

By Li, Hui Lun 李慧倫



reddot winner 2021
lighting design




DESIGN
AWARD





sand gold + matt black




matt black



copper + matt black

Measurement : centimeter / inches



OLO Φ D

Model
SLD-130DTE




Material
steel, PP

Light Source
LED 6.5W 3000K CRI90 415lm

Feature
Touch dimmer switch

Weight
1.4kg / 3.1lb

Color

-  sand gold + matt black
-  matt black
-  copper + matt black